

802.11a/g/b Antenna Cable Kits



Physical Properties

Outdoor Low Loss Coaxial Cable Series				
Model NO.	Length	Cable Type	Jumper	System Loss (Max)
EA-CK6M	6 M	LMR® 400	RP-SMA To N Plug	4.2 dB
EA-CK9M	9 M			4.9 dB
EA-CK12	12 M			5.5 dB
EA-CK15	15 M			6.2 dB
Weatherproof (PE with 5 years UV Resistant) / Low Pd & Low Cd / Outside Diameter : 10.29 mm Operating Temperature : -40 ~ +85 °C / Storage Temperature : - 70~ +185 °C				
Indoor Direct Link Cable Series				
Model NO.	Length	Cable Type	Jumper	System Loss (Max)
EA-CK1M	1 M	LMR® 200	RP-SMA	1.0 dB
EA-CK3M	3 M			2.2 dB
Weatherproof (PE with 5 years UV Resistant) / Low Pd & Low Cd / Outside Diameter : 4.95 mm Operating Temperature : -20 ~ +65 °C / Storage Temperature : - 30~ +75 °C				
High Gain Antenna Series				
Model NO.	dBi	Type	Jumper	Cable Length
EA-IO5D	5 dBi	Indoor Omni	RP-SMA	1 M
EA-ID6D	6 dBi	Indoor Direction		1 M
EA-OO8D	8 dBi	Outdoor Omni	N Plug	N/A
EA-OD9D	9 dBi	Outdoor Direction		
EA-OD14	14 dBi	Outdoor Direction		
EA-OD19	19 dBi	Outdoor Direction		